## **Indiana Department of Environmental Management**



100 N. Senate Avenue • Indianapolis, IN 46204 (800) 451-6027 • (317) 232-8603 • Fax (317) 233-6647 • www.idem.IN.gov

Mike Braun Governor **Clint Woods** 

Commissioner

July 9, 2025

UST Owner South Bend & Mishawaka Investments LLC 6520 Lake Crest Cir South Bend, Indiana 46628 priya9818@ymail.com

Property Owner South Bend & Mishawaka Investments LLC 6520 Lake Crest Cir South Bend, Indiana 46628 priya9818@ymail.com

UST Operator PL Expo BP Inc 6520 Lake Crest Cir South Bend, Indiana 46628 luckyghotra95@ymail.com

Re: Notice of Deficiency for UST Notification BP 5307 W Western Ave South Bend, IN 46619

Facility ID#195

## To All Parties:

The Indiana Department of Environmental Management (IDEM) received a notification for the facility referenced above on 5/20/2025. The form can be found on the IDEM Virtual File Cabinet (VFC) at <a href="http://vfc.idem.in.gov">http://vfc.idem.in.gov</a> under VFC# 83809724.

IDEM staff reviewed the information contained in this form and additional information is required. The following items need to be addressed:

- 1. 0906 UST Attributes The owner and/or operator failed to provide OR, based upon current/previous submissions, provided an incorrect Nominal Capacity for a UST(s).
- Supporting documents confirming the DSL tank capacity has not been provided.

Please resubmit the necessary pages of the notification form and/or backup resolving the deficiencies identified within fourteen (14) days of receipt of this letter.

Any questions concerning the UST Notification process may be directed to:

Rita Browne, Senior Environmental Manager IDEM - Office of Land Quality rbrowne@idem.in.gov

Failure to submit the required information detailed in this deficiency letter is a violation of Indiana Code (IC) 13-23-14-2 and the Indiana Administrative code (IAC) 329 IAC 9-2-2 and 329 IAC 9-3-1. Additionally, the submittal of false information on UST Notification Forms, as well as the failure to submit required UST Notification Forms, is subject to a \$10,000 penalty.

Sincerely,

Rita Browne

Senior Environmental Manager

Petroleum Branch
Office of Land Quality

Rita Browne

Office of Land

ecopy: IDEM File

Virender Kumar, tanksdata@gmail.com

Lucky Ghotra, luckyghotra95@ymail.com

TanksData Contact, contact@tanksdata.com

