

000
Tanks Data

30 DAYS WALK THROUGH INSPECTION

UST Facility I.D. (FID) # 2830	Contact Number
Facility Name Phillips 66	Contact email
Address 702 Lincolnway E, South Bend, IN 46601	Date of Inspection 08/05/25
Operator on Duty Name	Name of the Person Conducting Inspection AKSHIT

Operator Training

Operator Training

Operator Notified

Yes

No

Is Registration current with correct owner, operator etc.

Registration/Notification Form

Operator Notified

Yes

No

Release Detection Method

Release Detection

ATG

Yes

No

Make and Model

VR TLS 45D

SIR

Yes

No

Does it have paper?

Yes

No

Operator Notified

Yes

No

Is it in Alarm mode?

Yes

No

Operator Notified

Yes

No

Interstitial Monitoring Sensor Status Normal

Necessary Monthly Printout Taken

Yes

No

Operator Notified

Yes

No

Spill Buckets

Yes

No

Operator Notified

Yes

No

Are Spill Buckets Clean and free from water, debris, product etc?

Yes

No

Operator Notified

Yes

No

Are the Spill Bucket in good condition and free of damage/cracks

Yes

No

Operator Notified

Yes

No

Is Fill pipe cap tight and fill pipe free from any obstruction?

Yes

No

Operator Notified

Yes

No

Fill Ports

Yes

No

Operator Notified

Yes

No

Are Sumps Clean and free from water, debris, product etc?

Yes

No

Operator Notified

Yes

No

Under Dispenser Containments (UDC)

Yes

No

Operator Notified

Yes

No

Are UDCs clean and free from water, debris, product etc?

Yes

No

Operator Notified

Yes

No

NOTE: ALL LIQUID/DEBRIS OR WASTE MUST BE DISPOSED OFF ACCORDING TO EXISTING RULES AND REGULATIONS FOLLOWING PROPER PROCEDURE BY A CERTIFIED CONTRACTOR.

Operator on Duty Name

Signature

Date

317-645-0215

tanksdata@gmail.com

www.tanksdata.com