

Tanks Data

30 DAYS WALK THROUGH INSPECTION

UST Facility I.D. (FID) # 18402

Contact Number

Facility Name Phillips

Contact email

Address 3301 Postage Avenue, South Bend

Date of Inspection

05-30-25

Operator on Duty Name J1-46628

Name of the Person Conducting Inspection

Nisham Singh

Operator Training current

Operator Training

Operator Notified

Yes

No

Is Registration current with correct owner, operator etc.

Yes

No

Operator Notified

Yes

No

Release Detection

Release Detection Method

ATG

CIM

SIR

IC

Other

Make and Model

VR-TL2 350

Does it have paper?

Yes

No

Operator Notified

Yes

No

Is it in Alarm mode?

Yes

No

Operator Notified

Yes

No

Interstitial Monitoring Sensor Status Normal

Yes

No

Operator Notified

Yes

No

Necessary Monthly Printout Taken

Yes

No

Operator Notified

Yes

No

Spill Buckets

Are Spill Buckets Clean and free from water, debris, product etc?

Yes

No

Operator Notified

Yes

No

Are the Spill Bucket in good condition and free of damage/cracks

Yes

No

Operator Notified

Yes

No

Fill Ports

Is Fill pipe cap tight and fill pipe free from any obstruction?

Yes

No

Operator Notified

Yes

No

Piping/STP Sumps

Are Sumps Clean and free from water, debris, product etc?

Yes

No

Operator Notified

Yes

No

Under Dispenser Containments (UDC)

Are UDCs clean and free from water, debris, product etc?

Yes

No

Operator Notified

Yes

No

NOTE: ALL LIQUID/DEBRIS OR WASTE MUST BE DISPOSED OFF ACCORDING TO EXISTING RULES AND REGULATIONS FOLLOWING PROPER PROCEDURE BY A CERTIFIED CONTRACTOR.

Operator on Duty Name

Signature

Date

317-645-0215

tanksdata@gmail.com

www.tanksdata.com