

000
Tanks Data

30 DAYS WALK THROUGH INSPECTION

UST Facility I.D. (FID) # 15954

Contact Number

Facility Name Phinix 66

Contact email

Address 4005 W Western Ave Southend

Date of Inspection

05/05/24

Operator on Duty Name

1 W, 466 M

Name of the Person Conducting Inspection

AKSHIT SHARMA

Operator Training current

Operator Training

Operator Notified

Yes

No

Is Registration current with correct owner, operator etc.

Registration/Notification Form

Operator Notified

Yes

No

Release Detection Method

Release Detection

SIR

OC

Other

Make and Model

ATG

TS 550 EVO

SIR

OC

Other

Does it have paper?

Yes

No

Operator Notified

Yes

No

Is it in Alarm mode?

Yes

No

Operator Notified

Yes

No

Interstitial Monitoring Sensor Status Normal

Yes

No

Operator Notified

Yes

No

Necessary Monthly Printout Taken

Yes

No

Operator Notified

Yes

No

Spill Buckets

Are Spill Buckets Clean and free from water, debris, product etc?

Yes

No

Operator Notified

Yes

No

Are the Spill Bucket in good condition and free of damage/cracks

Yes

No

Operator Notified

Yes

No

Fill Ports

Is Fill pipe cap tight and fill pipe free from any obstruction?

Yes

No

Operator Notified

Yes

No

Pipeline/STP Sumps

Are Sumps Clean and free from water, debris, product etc?

Yes

No

Operator Notified

Yes

No

Under Dispenser Containers (UDC)

Are UDCs clean and free from water, debris, product etc?

Yes

No

Operator Notified

Yes

No

NOTE: ALL LIQUID/DEBRIS OR WASTE MUST BE DISPOSED OFF ACCORDING TO EXISTING RULES AND REGULATIONS FOLLOWING PROPER PROCEDURE BY A CERTIFIED CONTRACTOR.

Operator on Duty Name

Signature

Date

317-645-0215

tanksdata@gmail.com

www.tanksdata.com